



E-Mail Address: comercial.logistica@deoilservices.com

Mobile No.: . 244 925 598 883

Office Phone: . +244 930 654 000

Luanda: Patriota-Rua da Administração/Galerias M.R

Cabinda: Rua Direita do Povo Grande, Casa Número 10

NIF.: 5101163848

Luanda-Angola

BLUE EAGLE®

HOWARD LEIGHT

by Honeywell

3M Ansell Honeywell (L) **NORTH** BAT PORTWEST by Honeywell by Honeywell **ESCHBACH** STREMULIGHT. Jakob Eschbach GmbH FIRST AID ONLY. **Proma**X SALISBURY RELLCHE Centurion[®] by Honeywell robusta® HARVIK *Spasciani* AWG 5yS <u>M</u>ILLER **(iii)** FUJII DENKO CO., LTD. by Honeywell OC MASEC JUTEC (PELTOR Bulldozer BARTELS Kimberly-Clark **JACKSON** RIEGER E-A-R **Bullard** Bilsom etché

MACHINE & WELDING WORKS

PIBRE-METAL

by Honeywell

Marigold®

Tyvek^{*}

COFRA BORN TO WORK

FIRE MASTER

D.E OIL SAFETY PRODUCTMISSION

Be a Transformation Partner for our Customers in the space of Environment, Health & Safety.

Improve your competitive advantage

D.E OIL Safety is your competitive advantage.

Helps you become

Competitive

Advantage for

Customers

SAFER yet FASTER

- •Quick Mobilization
- Faster Job Completion -Efficient Products
- •Expertise

Our Promise

- Always on Stock On Time Delivery
- Designed for Efficiency and Safety
- Backed by Professionals& Product Experts

BETTER and SAFER

- Improve the productivity.
- •Output Quality/Less Defects/ Safer
- Sustainability , Compliance
- Motivated Employees
- Better Design /Solutions Industry Leader/Innovator.
- Quick After Sales Support/ Issues Resolution
- Sustainability & Supply Chain EHS Compliance is very important.

SAFER yet CHEAPER

- Better return on investment
 efficiency, product life,
 safety, reduced risk
- Safer & Best Quality at affordable price..
- Best Price, Value, Service Guarantee.
- Manufacturer, Distributor
 Economies of Scale
- Genuine Products -Certificates – Verifiable

Helps you achieve your business objectives.

WHAT IS AVAILABLE TO YOU

- World class products
- Wide Range Economy <> Premium
- Innovation as it happens, to keep you ahead.
- Team and Consultants that are Trained to provide solutions
- Ready Stock for Lot of Items
 - Client Specific Stock Agreement
- Free Survey for Risk Assessment and Product Selection
- Free Training on usage & maintenance of PPE

Best in class, competitive

SAFETY PRODUCT RANGE

1. For Head Protection

- Hard Hats/Helmets
- Bump Cap/Safety caps
- Safety Headgears

2. For Eye and Face Protection

- Safety Spectacles/Safety Glass
- Safety Goggles
- Face Shields
- Eye Washes

3. For Hearing Protection

- Safety Earplugs with different NRR (Noise Redaction
- Safety Earmuffs-with different NRR (Noise Reduction I 9. Sound Level Meters
- Communication Safety Headsets

4. Safety Respiratory Protection

- Safety Respirators/Masks
- Cartridges and Filters
- Disposable Masks
- Powered and Supplied Air Respirators

5. For Fall Protection

- Safety Harness
- Safety Belts
- Lanyards
- Slings

6. For Hand Protection

- General Purpose Gloves (Heat, Industrial, Mechanical)
- Special Purpose Gloves
- Disposable Gloves
- Cut Resistant Gloves
- Chemical Resistant Gloves

7. Multi Gas Detectors

- Single Gas Detectors
- Multi-gas Detectors

8. First Aid Kit

- Basic First Aid Kit
- · 25 person first aid kit
- · 50 person first aid kit

10. OTHER PRODUCTS:

- Safety Coveralls
- Safety Vest/high visibility jackets
- Safety Shoes
- Safety Hoods (Sandblast hoods)
- Support Belt, Knee Pads
- Safety Aprons, leg sleeve, arm sleeve
- Safety Cones
- Warning signs, safety signs
- Warning Tapes, Reflective Tapes
- Fire Equipments, Fire Blankets ,Fire Extinguisher, Fireman Suites
- Rain Suites , Reflective jackets/Suits, rain coat
- · Warning lights , solar lights



































MSA












CanaSaFe

CanaSafe













CanaSaFe



MSA







CanaSafe

































Accessories Compatible with Large range of Helmets.



Most Comprehensive Range Ex-Stock

ight Weight

orofessional

HEONYDUIN

Bredtholor

Environmendly







Protection Widest Range for the hardworking feet F00† X

LIGHTWEIGHT COLLECTION



ABSOLUTE

Ref.201025 S1P ESD SRC METAL FREE



LIGERO

Ref.201005 S1P ESD SRC METAL FREE



BRIO

Ref.201011 S2 ESD SRC METAL FREE



SHARK

Ref.010563 S3 ESD WR METAL FREE

safety shoe

The Safety Jogger lightweight shoe with SJ-3FIT is the must-have for the hybrid workplace. With unique features such as a removable hybrid insole with a built-in air circulation system and shock absorption, you will have the lightest safety shoe on the market. Next to being ultracomfortable, the light weight shoe has a topmost flexing & bending performance. Whereas toe cap is made of ultralight nano carbon, the insole features our unique SJ-3FIT technology. The SJ-3FIT technology is a flexible, modular

concept that allows the width of the shoe to be adjusted. All you need for happy feet at work!




DRAGON

Ref.200486 S3 ESD SRC METAL FREE



KOMODO

Ref.200984 S3 ESD SRC METAL FREE



Nano Carbon toecap




SRC certified slip resistance




Technomesh lining



SJ Hybrid insole



Puncture resistant midsole























O Pro te for the 0 Range C

Widest

Ŏ

ш







HELIUM S3 SRC

Upper; water repellent ECOLORICA®: Sole: slip resistent dual-density polyurathana

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features. 100% Metal Free, Chemical Resistance, Slip Resistant Sole



NEW BISMARCK S3 SRC

Upper: water repellent printed leather Sole: dual-density polyurethane Toe cap: FIBERGLASS CAP, non-

metallic fiberglass resistant to 200 J Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free



ELENOIRE S3 SRC

Upper: water repellent full grain leather Sole: dual-density polyurethane

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Italian Leather



BRISTOL S3 SRC

Upper: water repellent Pull-up nubuck Sole: dual-density polyurethane Toe cap: non metallic TOP RETURN

resistant to 200 J Midsole: non metallic APT PLATE - Zero

Perforation



IBIZA BROWN S3 SRC

KAROLUS S3 HRO SRC

Sole: polyurethane/nitrile rubber resistant to

Toe cap: non metallic TOP RETURN resistant

Performances and technical features: 100%

Midsple: non metallic APT PLATE - Zero

Metal Free, HRO, Italian Leather, Slip

Upper: water repellent leather

+300 °C (1 minute contact)

to 200 J.

Perforation

Resistant Sole

Upper: water repellent nubuck Sole: polyurethane/TPU

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support



MOROTAI S3 SRC

Upper; water repellent full grain leather Sole: dual-density polyurethane

Toe cap: non metallic TOP RETURN resistant to 200 J

Perforation

LEADER BIS S3 SRC

Midsole: non metallic APT PLATE - Zero

Upper: water repellent leather

Sole: dual-density polyurethane

Toe cap: steel resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support



ELECTRON SB E P FO

Upper: highly breathable BREATEX fabric with

electrical resistance

Midsole: non metallic APT PLATE - Zero

Perforation with birth electrical resistance Performances and technical features: 100% Metal Free



DUBROVNIK S3 SRC

Sole: dual-density polyurethane

Midsole: non metallic APT PLATE - Zero



MOROTAI S3 SRC

Upper; water repellent full grain leather Sole: dual-density polyurethane Toe cap: non metallic TOP RETURN resistant

to 200 J Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support



MICHELANGELO **BROWN S3 WR CI SRC**

Upper: water repellent Pull-up nubuck and breathable textile

Sole: polyurethane/TPU

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support, Cold Protection (CI), Italian Leather, GORE-TEX® Membrane, toe cap protection, Water Resistant

WORTHING S3 SRC

Upper: water repellent full grain leather Sole: slip resistant dual-density polyurethane Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Italian Leather, Slip Resistant Sole



KAUNAS S3 SRC

Sole: dual-density polyurethane

to 200 J

Perforation

Metal Free

Upper: water repellent printed leather.

Midsole: non metallic APT PLATE - Zero

Toe cap: non-metallic TOP RETURN resistant

Performances and technical features: 100%

SRC

3D texture and MICROTECH Sole: dual-density polyurethane with high-

Toe cap: non metallic TOP RETURN resistant to 200 J



Upper: water repellent printed leather Toe cap: non metallic TOP RETURN resistant to 200 J

Perforation



Range for the

Prote

Č







MEAZZA S1 P SRC

Upper: breathable MICROTECH Sole: polyurethane/TPU Toe cap: ALUMINIUM 200 J Midsole: non metallic APT PLATE - Zero

Performances and technical features: DGUV 112 - 191



BARTALI 01 SRC FO

Upper: highly breathable BREATEX fabric with 3D texture and MICROTECH Sole: polyurethane/TPU

Performances and technical features: 100% Metal Free, DGUV 112 - 191



KOBLET 02 SRC FO

Upper: water repellent nubuck Sole: polyurethane/TPU Performances and technical features: 100% Metal Free, DGUV 112 - 191



SLAVIN 01 SRC FO

Upper: suede leather and breathable textile

Sole: dual-density polyurethane

Performances and technical features: 100% Metal Free, DGUV 112 - 191, Italian Leather



KEPLERO S3 SRC

Upper: water repellent full grain leather Sole: polyurethane/TPU

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support, Italian Leather, Slip Resistant Sole

BRADDOCK S3 SRC

Midsole: non metallic APT PLATE - Zero

Performances and technical features:

Upper: water repellent nubuck

Toe cap: ALUMINIUM 200 J

Sole: polyurethane/TPU

Perforation

DGUV 112 - 191



EULERO S3 CI SRC

Upper; water repallent leather Sole: polyurethane/TPU

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support, Cold Protection (CI), Italian Leather, Slip Resistant



TOLOMEO S3 SRC

Upper: water repellent full grain leather Sole: polyurethane/TPU

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support, Italian Leather, Slip Resistant Sole



SUMATRA S3 SRC

Upper: water repellent full grain leather Sole: dual-density polyurethane

Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero Perforation

Performances and technical features: 100% Metal Free, Anti-torsion Support



COULOMB S2 SRC

Upper: water repellent full grain leather Sole: single-density polyurethane, ultralight compound

Toe cap: steel resistant to 200 J



Upper: TECHSHELL, innovative, very tough, abrasion resistant, water repellent and breathable fabric

Sole: polyurethane/TPU Toe cap: ALUMINIUM 200 J

MONTI S3 SRC

Midsole: non metallic APT PLATE - Zero

Perforation



NEW ODER UK S3 CI SRC

Upper: water repellent printed leather Sole: dual-density polyurethams Toe cap: steel resistant to 200 J. Midsole: stainless steel

Performances and technical features. Cold. Protection (CI), with zip, toe cap protection



EVIDENT S3 HI CI HRO SRC

Upper: high visibility water repellent leather Sole HEAT DEFENDER PUlnitrie rubber esistant to +300 °C (1 minute contact) Toe cap: non metallic TOP RETURN resistal Perforation to 200 J

Metal Free, Cold Protection (CI), Heat Resistant (HI) HRO, Italian Leather



BURNLEY S3 SRC

Upper: water repellent full grain leather Sole: slip resistant dual-density polyurethane Toe cap: non metallic TOP RETURN resistant to 200 J

Midsole: non metallic APT PLATE - Zero

Midsole: non metalic APT PLATE - Zero Performances and technical features: 100% Performances and technical features. 100. Metal Free, Italian Leather, Slip Resistant Sole

etection of compatible range Solutions with wide SDI

MSA MSA

Product Image Item Name-BW Clip Features: Available in a two-year or three-year version for H2S, CO, O2 or SO2 Unique hibernation case extends service life for the two year BW Clip for H2S or CO Compact, lightweight and easy to use â€" with one-button operation and no extensive training No Maintenance fee Product Brochure ALTAIR

Features: Sensor options for CO, H2S, and O2 Patented electrochemical sensors and MSA-built button sensors Stainless steel and solid electrolyte construction virtually eliminate sensor leakage, Automatically records the last 25 alarm/test events and can communicate data by connecting to MSA Link via built-in IR communication port No-miss triple alarm system includes bright flashing LEDs, piercing audible alarm, and an internal vibrating alarm Rubberized armor housing and onebutton operation for maximum durability and simplicity Standard: EMC Directive 89/336/EEC in accordance with the standards EN 61000-6-2 and EN 61000-6-4 Product Brochure

ALTAIR 2X Features: Tough over-molded rubber armor Survives multiple 25-ft drops onto concrete Agencycertified dust- and water-tight IP67 construction Intrinsically-safe design Records 75 alarm events Useful at Confined Space, Toxic Detection Standard: EN 60079-0:2012, EN 60079-11:2012



ToxiRAE Pro


Features: Personal wireless monitor for toxic gases and oxygen Swap out sensors for different gases, including hydrogen sulfide, carbon monoxide, ammonia, chlorine, hydrogen cyanide, nitric oxide, phosphine, sulfur dioxide, and more. Sensors store calibration data even when swapped out. 5-way local & remote wireless alarm system, largest display in class, Water-, dust-, and shockresistant, compatible with AutoRAE 2 (Fully automatic bump testing & calibration) Built-in mandown alarm Most sensors can be shared with MultiRAE instrument family Product Brochure

Product Image Item Name-Micro Clip XL Features: Multi-gas versatility with one-button simplicity Continuous visual compliance with IntelliFlash Incredibly thin & fightweight, making it comfortable to wear No Maintenance fee Gas detection: H2S, CO, O2 & LEL Product Brochure MAX XT II Go the distance, and save GasAlertMax XT II is the smart, simple, economical way to compliance. Workers feel safe and incidents are minimized so everyone will be able to do more. That means savings realized from business continuity and productivity. Simple operation, with SmartSample pump, GasAlertMax XT II reliably monitors up to four hazards and combines straightforward one-button operation with our robust, motorized pump for intelligent, remote sampling, ideal for confined spaces. The GasAlertMax XT II is fully compatible with MicroDock II automated test and calibration system. Features: Multi-Gas Detectors Continuous LCD shows real-time gas concentrations Gas Detection: H2S, %LEL, CO...


Quattro Visual Auditing, Easy Compliance Rugged and reliable, the GasAlertQuattro four-gas detector combines a comprehensive range of features with simple one-button operation. With flexible power options, the GasAlertQuattro is always ready. The graphic LCD displays easy to identify icons that indicate operational information, such as bump test and calibration status for simplified onsite auditing. IntelliFlash provides continuous visual confirmation of detector operation and compliance. Suited to a wide range of industrial applications including confined space entry, the GasAlertQuattro is fully compatible with BW8ETMs MicroDock II automatic test and calibration system. Features: Multi-Gas...


W.__ Micro 5 Providing protection from up to five potential atmospheric hazards including oxygen, combustible and toxic gases, GasAlertMicro 5 is unparalleled in its versatility, capability and overall value. BW's newest addition to its water-resistant line of portable gas detectors has transformed the market with its matchless array of features. Continuously monitoring and displaying concentrations of up to five gases, the compact and lightweight GasAlertMicro 5 was designed and engineered with an extensive host of applications in mind. Features: Five-Gas Detector Gas Detection: H2S, CO, C2, SO2, PH3, NH3, NO2, HCN, Cl2, ClO2, O3, and combustibles Integral concussion-proof boot Optional integral...

ALTAIR 4X Multigas Detector Description The ALTAIR 4X Multigas Detector surpasses industry standards in several crucial Description The ALTAIR 4X Multigas Detector surpasses industry standards in several crucial areas. Its four-year sensor life is 60% longer than the industry average, while its 24-hour run time exceeds the industry average by 71%. This versatile portable detector is a perfect match for industries ranging from fire fighting to welding, and its digital sensor output makes it less likely to suffer from RF interference. The unit features exclusive MotionAlert™, which lets others know if the user has become immobile, and InstantAlert™, a manual alarm that alerts others of potentially dangerous situations. This rugged unit is designed to withstand a drop of up to 20 feet and uses



7














EARPLUGS



EARMUFFS











MAINTENANCE FREE









CARTRIDGE / FILTER



HALF FACE MASK

We offer the lowest per unit cost for disposable & reusable respirators using unique solution – Ask for free samples and demo

Respiratory Protection World's best material science at work

Honeywell

















3M



m>





=>

=>







Protection World's best material science at work espiratory







1823222 Aeries Confort Type 2 + 1819661 6.9 L 300 air cylinder

Features 1823222 - Aeries Confort Type 2 with Panoramasque full-face mask with 5-point head strap and Sx-Pro demand Complete 1819661 - 6.9 L 300 bar composite (20 years) air cylinder 1818411 Plastic casing for SCBA Aeries Confort Type 2, Aeries phase 2, X-Pro EN & FR sticker Specially designed for fighting fires, it fulfills the requirements of the most recent EN 137 standard, type 2 classification A general flame engulfment test is carried out on the Fenzy Aeris Confort Type 2 while it is working. The apparatus shows resistance to temperature of 90Ã,°C for 20 minutes and to flame of 1000A,A°C for 10 seconds. Product Brochure




AIRHAWK II SCBA 30Min Carbon Cyl. w/Case

Features A2L-B36B00C13AA - Nylon h w/ double-pull chest strap, shoulder & lumbar pads, with optional stainless steel cylinder, optional carbon cylinder, Ultra Elite medium face piece, rubber harness with neck strap, with hard carrying case Product Brochure





RN/A 1683 C FR







FUGE TAIL (EEBD) Emergency Escape Breathing Device P/N 403020000 With one 2 L 300 bar steel cylinder granting

15 minutes duration. The connection for the feeding hose, i.e. the hose connecting to the demand valve for the medium pressure air supply The safety valve The refilling connector Product

Respiratory Protection World's best material science at work Honeywell



3M - 6200

Features Reusable, light weight, easy to use Offers reliable, convenient respiratory protection when combined with 3Må_¢ Particulate Filters or Cartridges (such as organic vapor/acid gas cartridges) or dual airline system Comes with storage bag Particulate Filters or Cartridges (such as organic vapor/acid gas cartridges) or dual airline system Standard: EN 140:1998, CE Approved Product Brochure



3M - 6500QL



Features Reusable, light weight, easy to use Offers reliable, convenient respiratory protection when combined with 3Mâ,¢ Particulate Filters or Cartridges (such as organic vapor/acid gas cartridges) or dual airline system Comes with storage bag Particulate Filters or Cartridges (such as organic vapor/acid gas cartridges) or dual airline system Standard: EN 140:1998, CE Approved



3M - 7502



3Mâ,¢ Half Facepiece Reusable Respirator 7502/37082(AAD), Respiratory Protection This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3Mâ,¢ Cool Flowâ,¢ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort. The 3Mâ,¢ Half Facepiece Reusable Respirator 7500 Series offers the following Features Advanced silicone material for increased comfort and greater durability Proprietary 3Mâ,¢ CoolFlowâ,¢ Valve helps make breathing easier and can offer cooler and drier comfort Dual-mode head harness that adjusts easily so users can wear the respirator in...



550030M



Features Made of an extremely soft non-allergenic elastomer for comfort and fit. Contoured sealing flange eliminates discomfort caused by pressure points on facial nerves. Design of nose area provides excellent comfort and fit. Low dead air space improves worker comfort by limiting rebreathing of exhaled air. Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance. Three overlapping sizes comfortably fit most users. North 5500 Series Half Masks are compatible with all North cartridges, filters and accessories. Product Brochure







Protection espiratory





World's best material science at work

3M - 6800

This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3Ma, Particulate Filters or Cartridges, to help provide respiratory protection against particulates and/or a variety of gases and vapors. Reliable, convenient, compatible respiratory protection: The 3Ma, & Full Facepiece Reusable Respirator 6000 Series offers versatility for many envrionments and applications and helps provide respiratory protection against a wide variety of gases and vapors when used with approved catridges and filters. Features Unique center adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve,







Features Each facepiece comes with three peel-away windows, six respirator wipes and a storage bag. Oral nasal cup reduces fogging and lessens dead air space to improve worker comfort by limiting re-breathing of exhaled air. Chin cup helps to position the facepiece properly. Hard-coated polycarbonate lens affords an over 200Ű field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact and penetration resistance. Two overlapping sizes, small and medium/large, will comfortably fit most users. With many of the same components of the 7600 Series facepiece, replacement part inventory will be reduced. North 5400 Series Full Facepieces are...





Features Soft and flexible non-allergenic elastomer material full face mask. DIN thread connection for class 2 filters High chemical resistance Hard coated polycarbonate visor, scratch and impact resistance. Product Brochure



3S Full-Facepiece Respirator

Features: Over 50 versions for your convenience Lens variants coated in polycarbonate & Triplex glass, also for high mechanical and chemical resistance Broad range of accessories Also available as mask-helmet-combination EN 136, Class 3, EN 136, Class 2 [3S Basic Plus], RU: GOST R 12.4.189-99, KZ: ST RK, GOST R 12.4.189-99, BY: STB GOST R 12.4.189-2006, AS/NZS 1716:2003 Product Brochure





6001

Organic / Vapour Catridge NIOSH app work with 3Ma,¢ Half and Full Facepi







6002

Acid Gas Catridge NIOSH approved a 3Ma,¢ Half and Full Facepiece 6000.



60922

NIOSH approved against or



6003

Organic Vapour Acid Gas Catridge NI Respirator cartridges work with 3Ma,4



6006

Multiple Gas Catridge NIOSH approvimethylamine or formaldehyde. Use w Half and Full Facepieces 7000 Series



Protection Respiratory





World's best material science at work



3M - Versaflo PAPR



Features Premium Hoods with Reusable Suspensions Easy to select compatible modules QRS (Quick Release Swivel) breathing tubes allow fast and easy connection Breathable air is provided to the wearer; reducing the additional breathing effort required Lightweight, compact and wellbalanced designs Quiet system with reduced motor noise and air whistling Standard: ANSI Z89.1 Type I, Class G Product Brochure



Survivair Mask Mount



Features Lightweight unit will not slow worker efficiency Low cost High Efficiency (HE) filter helps to reduce inventory cost The battery pack is water resistant, and contoured for wearer comfort Silicone facepiece offers high durability and unmatched comfort Includes: facepiece, blower, battery charger, power cord, HE filter, belt and air flow tester Standard: Certified to AS/NZS 1716:2003 Licence No:0952 Product Brochure



TURBINE

Features TURBINE PAPR are designed to protect the operator granting high comfort, achieved by supplying the mask, the helmet or the hood, with the ideal flow rate to reduce the breathing effort to a minimum without noxious flow on the face The ergonomic waist belt provided with soft pad. Very low weight compared to the autonomy offered They are designed to withstand decontamination showers EN 12941;1998+A1:2002x+/A2:2008 class TM3. Complying with directive 89/686/EEC (PPE). Product Brochure



PromaX







MECHANICAL PROTECTION GLOVES

IMPACT

CHAINEX GLOVES

WELDING GLOVES



CHEMICAL PROTECTION GLOVES



FOOD PROTECTION



ELECTRICAL GLOVES



GENERAL PURPOSE GLOVES

Mechanical Protection Gloves



SPECIAL PURPOSE

MULTI PURPOSE



CUT PROTECTION





CRYOGENIC



SLEEVES

Ansell

HyFlex 11-618

Hycron 27-805/27-810 Ansell

Ansell



EDGE 48-126



Features An ultra-lightweight glove is a thin glove that offers outstandi lightest lined and coated glove eve Ansell's usual nylon/ polyureth applications in dry or slightly oily e touch and precision than that offer cotton gloves or no gloves at all ar The glove's...

Ansell

ActivARMR 97-310

Rough...

EDGE 48-305



PromaX

SALISBURY by Honeywell

Nylon Coating...

Features The original reinvented. i nitrile foam glove, is better than ev handling, it provides the perfect ba Knitting Technology allows increas more freely, improving comfort and according to EN1149 Ideal Applica tasks General handling Specification

Features Yard-work DIY (Do It Yourself) Car Plumbing and pipe fitting Demolition Heavy heavy equipment Product Brochure

Features Nitrile dipped coating on a jersey I

times more durable than heavy-duty leather

resistance to sharp and abrasive materials.

excellent barrier to grease and oil, and does silicone. Guaranteed clean for metals and n

sizes. Allows you to chose the optimum con

Antistatic according to EN1149 Ideal Applica



Features Shipping and Re

EDGE 48-500

Ansell

HyFlex 11-801

HyFlex 11-840

HyFlex 11-800

Ansell

SensiLite 48-100/48-101

Ansell



Features Comfort and protection for lightwe Features Rough casting a metal products Heavy duty industrial gloves are designed for light appliresistance. Offering precise handling of sma is the practical choice when you are looking dexterity and durability compared to other g special purpose Ideal Applications Assembl



Features Excellent dexterity and b gloves are ideal for dry or slightly clevels of handling finesse. They ar needs of logistics and warehousing while the silicone-free glove reduc Technology Fit for special purpose work Light assembly tasks Genera coated...

Ansell

PowerFlex 80-100

Coating...

Ansell

Oceanic 48-913



Features Assembly of small & med material reception Screwing & uns



Features Superb mechanical performance v 80-100 glove is designed for use in a wide r to wear and cuts and offers plenty of comfor transport, and shipping and receiving, the P choice. Thanks to its natural rubber coating. excellent overall mechanical performance for coating's raised crinkle finish gives the The automatic knitted...

assembly tasks Specification Style #: 48-10



Features Raw material ext Warehouse work Repair &

Ansell



HyFlex 11-518

Ideal Applications Handling & ass fastening Injection molded parts a dry Packaging areas with risk of c Material: Nylon Coating Material: Blue coating on dark blue liner Le pairs in a bag, 12 bags in a cartor



HyFlex 11-425

Features Seamless knitted glove, made from fibres, using Techcor® Sensitive grey was Water and oil repellent treatment on both li (red) which belong to a range of color code (red). Product Brochure



PowerFlex 80-658

Features Feel the power on The PowerFlex® 80-658 steel, glass fiber and Kevla extended safety for the for shielding the skin from unprating means safe handling life makes the PowerFlex helps mask....

Ansell

PromaX




HyFlex 11-625

Features Dexterity with superb cu 627 and 11-628 gloves deliver a presistance. The liners have an inr Dyneema®. This offers high lever assembly applications involving cogloves, as well as the polyurethar are designed for use in dry, as we & 11-627: Fit for...



HyFlex 11-435



Ansell



HyFlex 11-627

Features Dexterity with superb cu 627 and 11-628 gloves deliver a presistance. The liners have an inr Dyneema®. This offers high lew assembly applications involving c gloves, as well as the polyurethar are designed for use in dry, as we & 11-627: Fit for...



HyFlex 11-727

Features Assembling metal parts and comlightly oiled parts & maintenance General r edged objects Metal fabrication Plastics inj




Ansell

by Honeywell





HyFlex 11-630





HyFlex 11-735

Features Assembling metal parts and com oiled parts Metal fabrication Product Brock

PromaX

SALISBURY by Honeywell

Ansell


Ansell

Ansell

Ansell

Solvex 37-675

Features High-comfort, chemical res selection of lengths, thicknesses, siz deliver optimal resultas in wet or dry reusable, with an unequaled abrasio nitrile gloves are the ideal choice for harsh chemicals are present. The co nitrile film, offer exceptional comfort t





Ansell

Features Reliable protection against a reliable protection against a very wide Heavyweight resistance to salts and d lozenge finish: Strong and durable, wi cotton: Helps reduce risk of skin irritat Battery manufacture Chemical industr Material: Flocked Cuff Style: Straight of (mm): 0.68...



AlphaTec 58-535

Scorpio 09-924

Features Unique combination of grip a revolutionary Ansell Grip TechnologyT force and more control. This unique co together with flexibility and dexterity, n with chemicals. Reliable chemical prof TechnologyTM ensures that the coatin The coating is therefore consistent an leakage onto the skin. ..

Features Top-of-the-range neoprene c


quality neoprene coating. Protects aga

solvents. Good resistance to all mecha

quilted cotton liner, for use in both hot

liquids up to 180°C and handling in co

shape which follows the contours of th



Features High-comfort, chemical res selection of lengths, thicknesses, siz deliver optimal resultas in wet or dry reusable, with an unequaled abrasio nitrile gloves are the ideal choice for harsh chemicals are present. The co nitrile film, offer exceptional comfort 1



Neotop 29-500

Virtex 79-700

Bi- Colour 87-900

Features Medium-duty chemical prote use in cold conditions - neoprene mail Neoprene formula. Protects against a Superior flexibility. Contains natural ru gloves. Flocklined in pure cotton. Soft Applications Agriculture Chemical indu Specification Style #: 29-500 Liner Ma Design: Lozenge...



AQL 1.0 (EN374) Ideal Applications C

Ansell




EDGE 82-133

Features Compounding, mixing, and handling Catering Handling parts coated with light oil Produ

Solvex 37-185

Solvex 37-900

pressure...



Features A premium nitrile providing

newly developed nitrile film offers gre

standards for mechanical performanalmost twice that of the current leading existing nitriles in permeation tests. a leakproof test and checked for defe can be used with complete confident



Ansell

Ansell

Superflex 14-663

Features Handling chemical objects G Ideal application for handling paints, ir









ChemTEK 38-628

Features Chemical industry Chemical proc industry Automotive Mining Aerospace Dis

Ansell



Touch N Tuff 92-600

Features Proven splash resistance agains by a certified body on an even wider range industrial chemicals for longer periods thar nitrile, Touch N Tuff offers up to four times gloves, and three times the resistance of s proteins, which means no risk of Type I alli Insult Patch tests have also shown no evid

Ansell



Touch N Tuff Blue 92-670

Features Textured single use nitrile gloves outstanding chemical and mechanical propresistance of latex or PVC disposable. Light for money. 100% nitrile; no waxes, silicone food with corn starch used to powder glove cuff. Provides added protection at wrist an Applications Laboratory analysis Chemical handling...

Ansell



Touch N Tuff 93-250

Features Compounding, mixing, blending I blending, compounding, filling, cleaning M: mix solids and colorants Wet chemical, par

Ansell



Work guard 43-216

Features: Loading & unloading with risk of heat or molten splash Product Brochure

PromaX



Welding Gloves CAT 1

Features: Made of selected split leather With welt and thumb Heavy duty inner lining Size: 16â€□

ull vir

Premium Welding gloves CAT 2


Features: Made of selected split leather Heavy duty inner lining Size: 16â€□

Featul 16å€D

Premium Welding gloves CAT III

Features: Perfectly sewn leather gloves for welding Stiched with kevlar cloth Reinforced palm Size: 16â€□





PromaX PromaX PromaX

Promax Single Palm

Gray cowhide split leather rigger gloves Single palm with rubberized cuff, cotton back and shirred elastic

Promax Leather Working Gloves -Double palm

Grey cowhide split leather rigger gloves Double palm with rubberized cuff, cotton back and shirred elastic

Ultrafit Driving Gloves

• Light weight and ergonomic design for extended use without excessive fatigue • Highquality materials and manufacturing know-how result in a strong and long-lasting products • Reversible steel-mesh gloves, available with either plastic or textile wrist strap.

Dotted Gloves

Dotted gloves with Red knit wrist available in 8 Oz, 10 Oz, 12 Oz & 14 Oz.











LANYARD

RETRACTABLE LIFELINES







HORIZONTAL LIFELINES

RESCUE DESCENT DEVICE


TRIPOD, RESCUE LIFTING & TENT





Fire Fighting Solutions – Ex-Stock Best Value for Money





FIRE MAN BOOT







EQUIPMENTS







FIRE MAN SUIT





















DISPOSABLE COVERALL



CHEMICAL CLOTHING



APRON



FIRE RETARDANT COVERALL



SAFETY VEST



HOOD


ofetv Solutions for shock free performance 0 d

NOMADÎL

SALISBURY

by Honeywell

COFRA
BORN TO WORK
the itelian brand



SALISBURY

ARC Flash Face Shield

Features: 10 cal cm2 ATPV rating when used with the included chin cup 8 cal cm2 without the chin cup 7.5 inch x 20 inch viewing area Extra light tint 0.06 thick Absorbs 99.9% of harmful UV radiation Resistant to fogging AS1000 Series Standard: ASTM F2178 specification Product



Dielectric E boot

DIELECTRIC E Boots (safety toe (from risks of pace voltage when th alternative current 1000V nominal Individually tested EN 50321 class Basic requirements (SB) Heel ene Sole slip resistance (SRC) : - Cera



Features: Heavy duty canvas duck for hanging on work belts Tapered 9'' x 18〙' For 16â€

Carrying Bag



Switching Board matting



Made from high quality rubber 1/4 tread while reducing the possibility voltage 17,000VAC. 25 yard rolls



Static discharge stick

20817 Features: Design to safely r U hook Product Brochure



Insulated Rescue Hook

Features: Used to withdraw an inju glass reinforced handle for superic 18â€□ opening Standard length of

Displaying 1 to 10 (of 11 products)



ARC Flash Head & Face Protection

Features: Has an ATPV rating of 10 cal cm2 Lens provides a 7.5 inch x 20inch viewing once with an extra light With cotton canvas storage bag AS1000 HAT Standard: ASTM F2178 specification Product Brochure



ARC Flash kit

Features: ARC flash coat Bib Overalls Pro Hood Hard Hat Safety Glasses SK Bag Solutions available for 8-100 cal/cm2 Product Brochure




Dielectric Footwear (51509)

Features: 100% waterproof, 2 Buckles, made from premium grade ozone resistant rubber. Fabric lining for easy donning and doffing 100% tested to 20KV The sole has a durable construction with non-skid bar tread out-sole Product Brochure



Dielectric Footwear (21406)

Features: 100% waterproof made from ozone-resistant rubber. Fabric lining allows for easy removal. Out-sole has nonskid bar treads. Overshoe boots are full cut and have an attached nonmetallic buckle. Product Brochure





Safety World's best material science at work Welding







Speedglas 9100 Welding Helmet

Features Designed for Ultimate Protection Protecting your eyes and face from radiation, heat and sparks â€" 3 sizes of welding filters Side exhaust vents High-comfort headband Side Windows Shade Product Brochure



Tigerhood Classic

Features: Tigerhood Classic's unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face. Molded-in colors eliminate chipping, peeling, and fading. Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through. Thermoplast gray, lift front Product Brochure



GAMADOR

Features: Full size helmet with fully adjustable headgear and glass holder 50x108 mm with welding glass Slip up glass holder Product Brochure



GAMADOR COMBI

Features: Light weight welding helmet with flip-up lenses unique straight shell, impact resistance & durable Fits on all the safety helmet equipped with a 30mm slot. Product Brochure

Ultrashell

Features: Ultra-shell mask larg opening Complete with Ratch



Mineral Lenses Clear

Features: Cover lens 50x108.9





Safety World's best material science at work Welding







Speedglas 9100 Welding Helmet

Features Designed for Ultimate Protection Protecting your eyes and face from radiation, heat and sparks â€" 3 sizes of welding filters Side exhaust vents High-comfort headband Side Windows Shade Product Brochure



Tigerhood Classic

Features: Tigerhood Classic's unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face. Molded-in colors eliminate chipping, peeling, and fading. Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through. Thermoplast gray, lift front Product Brochure



GAMADOR

Features: Full size helmet with fully adjustable headgear and glass holder 50x108 mm with welding glass Slip up glass holder Product Brochure



GAMADOR COMBI

Features: Light weight welding helmet with flip-up lenses unique straight shell, impact resistance & durable Fits on all the safety helmet equipped with a 30mm slot. Product Brochure

Ultrashell

Features: Ultra-shell mask larg opening Complete with Ratch



Mineral Lenses Clear

Features: Cover lens 50x108.9



WINTER AND RAINWEAR SOLUTIONS FOR DIFFERENT SECTORS

- SECURITY STAFF
- ROAD/RAIL MAINTENANCE
- OIL & GAS SECTOR
- EXECUTIVES
- CONSTRUCTION WORKERS
- COLDSTORE SOLUTIONS

- Certified Products, European Standards
- Big Range Economy Premium

Plan now and get the best products at reasonable prices.

RAINWEAR









Powerful Protection Against Wind and Rain





SECURITY STAFF



S533 - FALKIRK BOMBER JACKET
Falkirk Bomber Jacket









\$535 Pilot Jacket

EXECUTIVE - JACKETS



WIDE RANGE



CERTIFIED TO RAIL/ROAD SAFETY STANDARDS



HIGH VISIBILITY WINTER JACKETS



ACCESSORIES





GL10 Waterproof Ski Glove

GLIZ Fleece Glove Insulatex Lined

8 Same State of State

GIII Fleece Glove

100% Polyseter, Anti-Pill finish Floors 216g PIPTE Block, Novy One Size

CONTACT US

Email:daniel.bungo@deoilservices.com

Shared Email: comercial.logistica@deoilservices.com

Mobile: (+244) 925 598 883 (WhatsApp) Office: (+244) 930 654 000

Endereço: Patriota-Rua da Administração-Galerias M.R.

NIF.:5101163848

Luanda-Angola

Our Vision-Good Services for Better Serve.







SHOP FOR SAFETY



MANUFACTURING




INDUSTRY LEADING FLAME RESISTANT FABRIC



EXPERT DESIGN & CUSTOMISATION



THE HIGHEST STANDARDS







ATLAS holds ISO 9001 certificate for quality management system. We are fully committed to environment management & sustainability practices.